PTO/SB/08A (10-01)

Approved for use through 10/31/2002.OMB 0651-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE respond to a collection of information unless it contains a valid OMB control number.

Alvo	O MUL	9
	3 B	S. C. C.

Subs	Substitute for form 1449A/PTO			Complete if Known		
0000				Application Number	10/076,486	
IN	FORMATION	ON DIS	CLOSURE	Filing Date	February 19, 2002	
	STATEMENT BY APPLICANT			First Named Inventor	Stephen L. Casper	
				Art Unit	2818	
	(use as many sheets as necessary)			Examiner Name	M. Tran	
Sheet	1	of	4	Attorney Docket Number	M4065.0479/P479	

	1	T	<u> </u>	TENT DOCUMENTS	·····	Pages, Columns, Lines,
Examiner nitials*	Cite No.1	Document Number  Number-Kind Code <sup>2</sup> (# known)	Publication Date MM-DD-YYYY	Name of Patentee or Appli of Cited Document	cant Clap	Where Relevant Passages or Relevant Figures Appear
11/	AA	6,469,364	10/2002	Kozicki	257	529
MY	AB	2002/0168820 App.	11/2002	Kozicki	<u> </u>	76
	AC	2002/0108820 App.	6/2002	Gilton		
	AD	2002/0123169 App	9/2002	Moore et al.		<del></del>
1-			9/2002	Moore et al.		
	AE AF	2002/0123248 App. 3,622,319	11/1971	Sharp	430	396
	•	+- <del></del>	7/1973	Boland	250	505.1
	AG AH	3,743,847 4,269,935	5/1981	Masters et al.	430	323
	<del></del>		1/1982	Drexler, et al.	430	496
W.	AJ	4,312,938	1/1982	Masters, et al.	430	4
<u> </u>		<del></del>	3/1982	Yoshikawa et al.	430	296
<del></del>	AK	4,320,191	9/1983	Balasubramanyam et al.	430	311
	AL AM	4,405,710 4,419,421	12/1983	Wichelhaus, et al.	429	323
		4,795,657	1/1989	Formigoni et al.	427	96
	AN_	<del></del>	7/1989	Sliwa et al.	257	767
	AO AB	4,847,674	2/1985	Holmberg et al.	365	163
	AP	4,499,557	1/1993	Klersy et al.	257	Ü.
<del></del>	AQ	5,177,567 5,219,788	6/1993	Abernathey et al.	438	636
<del></del>	AR		8/1993	Blalock et al.	438	348
N . C	AS_	5,238,862	5/1994	Kishimoto et al.	257	
MA	AT	5,315,131	9/1994	Gardner et al.	438	
	AU	5,350,484	11/1994	Owen et al.	257	<del></del>
	AV	5,360,981	<del></del>	Yoshimura et al.	427	
	AW	5,512,328	4/1996	Wolf et al.	257	471
	AX_	5,512,773	4/1996 3/1998	Takaishi	438	210
<del></del>	AY.	5,726,083	11/1998	Gonzalez et al.	257	<del></del>
	<del></del>	5,841,150	12/1998	Harbison et al.	501	40,
	AB1		7/1999	Reinberg	438	466
		5,920,788	12/1999	Block et al.	430	
MI		5,998,066	6/2000	Harshfield	438	
-+		6,077,729		Harshfield	438	238
		6,117,720	9/2000		438	
		6,143,604	11/2000	Chiang et al.	438	
		6,177,338	1/2001	Wolstenholme et al.	257	3
	AI1	6,236,059	5/2001	Gabriel et al.	438	المنابع المناب
	AJ1	6,297,170	10/2001	Gonzalez et al.	257	
	AK1		10/2001	Zahorik et al.	257	
	AL1	بالمساقد بيكاكي النباك والمساقدين والمنافذ والمنافذ والمساقد والمساقد والمساقد والمساقد والمساق	11/2001		174	260
		6,329,606	12/2001	Freyman et al.	438	
MI	AN1		2/2002	McDaniel et al.	438	<del></del>
	_	6,376,284	4/2002	Gonzalez et al.	<u>4 &gt; 8</u> 438	
	AP1		5/2002	Gonzalez et al.	257	
	_	6,414,376	7/2002	Thakur tal.		
		6,423,628	7/2002	Li et al.	438 265	كالمتاكنة والمستحدد والمناقدة
		6,487,106 5,314,772	11/26/2002 5/24/1994	Kozicki Kozicki	365	153

Substitute for form 1448A/PTO

Sheet

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

of

•4

2

	Complete If Known
Application Number	10/076,486
Filing Date	February 19, 2002
First Named Inventor	Stephen L. Casper
Art Unit	2818
Examiner Name	M. Tran
Attorney Docket Number	M4065.0479/P479

TAA &	TALIA	12002/04002E0 ADD	12/19/2002	Kozicki		
MA		2002/0190350 APP				
	AV1	2003/0027416 APP	2/6/2003	Moore		
	AW1	2003/0001229 APP	1/2/2003	Moore et al.		
	AX1	2002/0106849 APP	8/8/2002	Moore		
	AY1	2002/0127886 APP	9/12/2002	Moore et al.		
W	AZ1	2002/0123170 APP	9/5/2002	Moore et al.	•	
1.	BA1	2002/0163828 APP	11/2002	Krieger et al		
	BB1	6,072,716	6/2000	Jacobson et al.	365	63
	BC1	5,272,359	12/93	Nagasubramanian et al.	257	40
	BD1	4,671,618	6/87	Wu et al.	349	92
	BE1	4,800,526	1/89	Lewis	365	118
145	BF1	2003/0035314	02/20/03	Kozicki		
	BG1	2003/0035315	02/20/03	Kozicki		
	BH1	6,314,014	11/6/01	Lowrey et al.	365	100
	/ BI1	5,883,827	3/16/99	Morgan	365	100
MA	BJ1	4,112,512	9/5/78	Arzubi et al.	365	149

PTO/SB/08A (10-01)

Approved for use through 10/31/2002.OMB 0651-0031

U, S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

0 3 Z004 S: Substitute for form 1449A/PTO

Sheet

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

3 of 4

Complete if Known				
Application Number	10/076,486			
Filing Date	February 19, 2002			
First Named Inventor	Stephen L. Casper			
Art Unit	2818			
Examiner Name	M. Tran			
Attorney Docket Number	M4065.0479/P479			

		FOREI	GN PATENT	DOCUMENTS		
Examiner	Cite	Foreign Patent Document	Publication Date	Name of Patentee or	Pages, Columns, Lines, Where Relevant	
	No.	Country Code <sup>2</sup> -Number <sup>4</sup> -Kind Code <sup>4</sup> (if known)	MM-DD-YYYY	Applicant of Cited Document	Passages or Relevant Figures Appear	
DAT	BA	JP 56126916	10/1981	Akira et al.		
	ВВ				<u></u>	<u>↓</u> _

Examiner Signature	M. TRAN	Date Considered	5 3€	0/04	
	المتعادل المتعادل والمتعادل والمتعاد				_

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant

Applicant's unique citation designation number (optional). <sup>2</sup>See attached Kinds Codes of USPTO Patent Documents at <a href="www.uspto.gov">www.uspto.gov</a> or MPEP 901.04. <sup>3</sup> Enter Office that issued the document, by the two-letter code (WiPO Standard ST.3). <sup>4</sup>For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the application number of the patent document. <sup>5</sup>Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. <sup>5</sup>Applicant is to place a check mark here if English language Translation is attached.

Subolitu	Substitute for form 1449B/PTO			Complete If Kn wn		
. Subsulu	with interest	BIT 10		Application Number	10/076,486	
INF	ORMAT	ION DI	SCLOSURE	Filing Date	February 19, 2002	
1	STATEMENT BY APPLICANT			First Named Inventor	Stephen L. Casper et al.	
017				Group Art Unit	2818	
	(use as ma	ny sheets as	necessary)	Examiner Name	M. Tran	
heet	4	of	4	Attorney Docket Number	M4065.0479/P479	

		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the Item (book, magazine, journal, serial, symposium, catalog, etc), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
De CA		Axon Technologies Corporation, TECHNOLOGY DESCRIPTION: Programmable Metalization Cell(PMC), pp. 1-6 (Pre-May 2000).	
	СВ	Helbert et al., Intralevel hybrid resist process with submicron capability, SPIE Vol. 333 SUBMICRON LITHOGRAPHY, pp. 24-29 (1982).	
	CC	Hilt, Dissertation: Materials characterization of Silver Chalcogenide Programmable Metalization Cells, Arizona State University, pp. Title page-114 (UMI Company, May 1999).	
	CD	Hirose et al., High Speed Memory Behavior and Reliability of an Amorphous As <sub>2</sub> S <sub>3</sub> Film Doped Ag, Phys. STAT. SOL. (a) 61, pp. 87-90 (1980).	
	CE	Holmquist et al., Reaction and Diffusion in Silver-Arsenic Chalcogenide Glass Systems, 62 J. AMER. CERAM. Soc., No. 3-4, pp. 183-188 (March-April 1979).	
N	CF	Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF <sub>6</sub> , 42 APPL PHYS. LETT., No. 7, pp. 592-594 (April 1983).	
ſ	CG	Kawaguchi et al., Mechanism of photosurface deposition, 164-166 J. NON-CRYST. SOLIDS, pp. 1231-1234 (1993).	
	СН	Kolobov and Elliott, Photodoping of Amorphous Chalcogenides by Metals, Advances in Physics, Vol. 40, No 5, 825-684 (1991).	
	CI	Kozicki, et al., "Applications of Programmable Resistance Changes in Metal-doped Chalcogenides", Proceedings of the 1999 Symposium on Solid State Ionic Devices, Editors - E.D. Wachsman et al., The Electrochemical Society, Inc., 1 - 12 (1999).	
	C1	Kozicki, et al., Nanoscale effects in devices based on chalcogenide solid solutions, Superlattices and Microstructures, 27, 485-488 (2000).	
M	СК	Kozicki, et al., Nanoscale phase separation in Ag-Ge-Se glasses, Microelectronic Engineering, vol. 63/1-3,155-159 (2002).	
1	CL	M.N. Kozicki and M. Mitkova, Silver incorporation in thin films of selenium rich Ge-Se glasses, Proceedings of the XIX International Congress on Glass, Society for Glass Technology, 226-227 (2001).	
	СМ	McHardy et al., The dissolution of metals in amorphous chalcogenides and the effects o electron and ultraviolet radiation, 20 J. Phys. C.: Solid State Phys., pp. 4055-4075 (1987)f	
	CN	Owen et al., Metal-Chalcogenide Photoresists for High Resolution Lithography and Sub-Micron Structures, NANOSTRUCTURE PHYSICS AND FABRICATION, pp. 447-451 (M. Reed ed. 1989).	
	со	Shimizu et al., The Photo-Erasable Memory Switching Effect of Ag Photo-Doped Chalcogenide Glasses, 46 B. CHEM SOC. JAPAN, No. 12, pp. 3662-3365 (1973).	
	<b>EP</b>	Michael N. Kozicki, 1. Programmable Metallization Cell Technology Description, February 18, 2000	
W	CQ	Michael N. Kozicki, Axon Technologies Corp. and Arizona State University, Presentation to Micron Technology, Inc., April 6, 2000	
	1		Ь.

Examiner		Date	110 100
Signature	u, IRAN	Considered	6 30 04

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>&#</sup>x27;Applicant's unique citation designation number (optional). <sup>2</sup>Applicant is to place a check mark here if English language Translation is attached.

JUN 1 4 2004 W

PTO/SB/08a/b (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE perwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Complete if Known Substitute for form 1449A/B/PTO 10/076,486 Application Number **INFORMATION DISCLOSURE** February 19, 2002 Filing Date STATEMENT BY APPLICANT Stephen L. Casper First Named Inventor 2818 Art Unit (Use as many sheets as necessary) M. Tran Examiner Name M4065.0479/P479 3 Sheet of Attorney Docket Number

			U.S. PA	TENT DOCUMENTS	
Examiner nitials*	Cite No.1	Document Number  Number-Kind Code <sup>2</sup> ( If known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant St. Figures Appear
ME	Α	US 2004/0035401	2/2004	Ramachandran et al.	
<del></del>	В	US 2003/0212724	11/2003	Ovshinsky et al.	- 11
_	c	US 2003/0048744	3/2003	Ovshinsky et al.	
_	Ď	US 2003/0212725	11/2003	Ovshinsky et al.	<del></del>
	E	US RE 37,259E	7/2001	Ovshinsky	
	F	US 3,271,591	9/1966	Ovshinsky 327	500
	G	US 3,961,314	6/1976	Klose et al. 365	113
<del> </del>	H	US 3,966,317	6/1976	Wacks et al. 355	19
_	1	US 3,983,542	11/1976	Ovshinsky 365	113
-	J	US 3,988,720	10/1976	Ovshinsky 365	113
448	K	US 4,177,474	12/1979	Ovshinsky 252	62
air_	1,7	US 4,267,261	5/1981	Hallman et al. 430	
-	M	US 4,597,162	7/1986	Johnson et al. 438	16
<del>-}-</del>	<del> </del>		8/1986	Keem et al. 428	215
	0	US 4,608,296 US 4,637,895	1/1987	Ovshinsky et al. 252	325
	P				105
	↓ <u>·</u>	US 4,646,266	2/1987		
	Q	US 4,664,939	5/1987		
	R	US 4,668,968	5/1987		57
	S	US 4,670,763	6/1987		58
	11	US 4,673,957	6/1987	1 7 3	58
M		US 4,678,679	7/1987		
<del></del>	V	US 4,696,758	9/1987	Ovshinsky et al. 252	
	W	US 4,698,234	10/1987	Ovshinsky et al. 438	113
<del></del> -	X	US 4,710,899	12/1987	Young et al. 365	
	<u>Y</u>	US 4,728,406	3/1988	Banerjee et al. 204	192.29
	Z	US 4,737,379	4/1988	Hudgens et al. 427	
	A1	US 4,766,471	8/1988	Ovshinsky et al. 257	
	B1	US 4,769,338	9/1988	Ovshinsky et al. 438	
	C1	US 4,775,425	10/1988	Guha et al. 136	
	D1	US 4,788,594	11/1988	Ovshinsky et al. 348	<del></del>
	E1_	US 4,809,044	2/1989	Pryor et al. 257	
- <del>                                    </del>	F1	US 4,818,717	4/1989	Johnson et al. 438	
M.	G1	US 4,843,443	6/1989	Ovshinsky et al. 257	<del></del>
A	H1_	US 4,845,533	7/1989	Pryor et al. 257	
	11	US 4,853,785	8/1989	Ovshinsky et al. 348	302
	J1	US 4,891,330	1/1990	Guha et al. 438	488
	K1	US 5,128,099	7/1992	Strand et al. 420	
	L1	US 5,159,661	10/1992	Ovshinsky et al. 706	
	M1	US 5,166,758	11/1992	Ovshinsky et al. 257	3
	N1	US 5,177,567	1/1993	Klersy et al. 257	4
	01	US 5,296,716	3/1994	Ovshinsky tal. 257	3
	P1	US 5,335,219	8/1994	Ovshinsky et al. 369	288
	Ω1	US 5,359,205	10/1994	Ovshinsky 257	3
	R1	US 5,341,328	8/1994	Ovshinsky et al. 3,65	1113
N/M	S1	US 5,406,509	4/1995	Ovshinsky tal. 465	113



PTO/SB/08a/b (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE ruled to respond to a collection of information unless it contains a valid OMB control number.

Sub	stitute for form 1449A/B	/PTO		First Named Inventor Stephen L. Casper Art Unit 2818	
002		., , _		Application Number	10/076,486
11	IFORMATIO	ON DISC	CLOSURE	Filing Date	February 19, 2002
S	TATEMENT	BY AP	PLICANT	First Named Inventor	Stephen L. Casper
				Art Unit	2818
	(Use as many	sheets as ne	cessary)	Filing Date  ICANT  First Named Inventor  Art Unit  Examiner Name	M. Tran
Sheet	2	of	3	Attorney Docket Number	M4065.0479/P479

				···		0.1
					Clos	SW
Mã	T1	US 5,414,271	5/1995	Ovshinsky et al.	257	3
1	U1	US 5,534,711	7/1996	Ovshinsky et al.	257	3
	V1	US 5,534,712	7/1996	Ovshinsky et al.	257	3
	W1	US 5,536,947	7/1996	Klersy et al.	257	3
	X1	US 5,543,737	8/1996	Ovshinsky	326	104
	<u>Y1</u>	US 5,591,501	1/1997	Ovshinsky et al.	428	64.1
	<del>Z1</del>	US 5,596,522	1/1997	Ovshinsky et al.	365	113
T/A	A2	US 5,687,112	11/1997	Ovshinsky	365	163
~/ \	B2	US 5,694,054	12/1997	Ovshinsky et al.	326	35
1	C2	US 5,714,768	2/1998	Ovshinsky et al.	257	40
	D2	US 5,825,046	10/1998	Czubatyj et al.	257	2
<del></del>	E2	US 5,912,839	6/1999	Ovshinsky et al.	365	185,03
	F2	US 5,933,365	8/1999	Klersy et al.	365	
	G2	US 6,011,757	1/2000	Ovshinsky	369	13,75
_		US 6,087,674	7/2000	Ovshinsky et al.		2
<del></del>	H2		10/2000	Ovshinsky et al.	257 365	163
	12	US 6,141,241		Chiang et al.	365	163
	J2	US 6,339,544	1/2002		365	100
MY	K2	US 6,404,665	6/2002	Lowery et al.	438	238
1001	L2	US 6,429,064	8/2002	Wicker	257	300
	M2	US 6,437,383	8/2002	Xu		
<del></del>	N2	US 6,462,984	10/2002	Xu et al.	365	230.06
	02	US 6,480,438	11/2002	Park		
	P2	US 6,487,113	11/2002	Park et al.	365	163
	Q2	US 6,501,111	12/2002	Lowery		295
	R2	US 6,507,061	1/2003	Hudgens et al.	257	00
	S2	US 6,511,862	1/2003	Hudgens et al.	438	
	T2	US 6,511,867	1/2003	Lowery et al.	438	123
1	U2	US 6,512,241	1/2003	Lai	257	l
MY	V2_	US 6,514,805	2/2003	Xu et al.	438	164
MA	W2	US 6,531,373	3/2003	Gill et al.	438	400
1	X2	US 6,534,781	3/2003	Dennison	257	
	Y2	US 6,545,287	4/2003	Chiang	257	
`_	<b>Z2</b>	US 6,545,907	4/2003	Lowery et al.	365	
	A3	US 6,555,860	4/2003	Lowery et al.	257	296
	B3	US 6,563,164	5/2003	Lowery et al.	257	314
	СЗ	US 6,566,700	5/2003	Xu	257	296
	D3	US 6,567,293	5/2003	Lowery et al.	365	100
	E3	US 6,569,705	5/2003	Chiang et al.	438	95
M	F3	US 6,570,784	5/2003	Lowery	365	163
_1	G3	US 6,576,921	6/2003	Lowery	257	
	Н3	US 6,586,761	7/2003	Lowery	357	3
	13	US 6,589,714	7/2003	Maimon et al.	430	313
	J3_	US 6,590,807	7/2003	Lowery	365	175
	K3	US 6,593,176	7/2003	Dennison	438	200
	L3	US 6,597,009	7/2003	Wicker	257	4
	МЗ	US 6,605,527	8/2003	Dennison et al.	438	618
	N3	US 6,613,604	9/2003	Maimon tal.	438	95
		US 6,621,095	9/2003	Chiang tal.	764	5
61/	O3 P3	US 6,625,054	9/2003	Lowery et al.	365	TYQ
	Q3	US 6,642,102	11/2003	Xu	438	

PTO/SB/08a/b (08-03)
Approved for use through 07/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

on Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number. Complete if Known Substitute for form 1449A/B/PTO 10/076,486 Application Number INFORMATION DISCLOSURE February 19, 2002 Filing Date STATEMENT BY APPLICANT Stephen L. Casper First Named Inventor 2818 Art Unit (Use as many sheets as necessary) M. Tran **Examiner Name** M4065.0479/P479 3 3 Attorney Docket Number of Sheet

					Clas Sub.
Mrs	R3	US 6,646,297	11/2003	Dennison	257 296
1	<b>S3</b>	US 6,649,928	11/2003	Dennison	257 4
	T3	US 6,667,900	12/2003	Lowery et al.	365 171
	U3	US 6,671,710	12/2003	Ovshinsky et al.	708 493
	V3	US 6,673,700	1/2004	Dennison et al.	438 466
	W3	US 6,674,115	1/2004	Hudgens et al.	257 310
	<b>X3</b>	US 6,687,427	2/2004	Ramalingam et al.	365 163
	Y3	US 6,690,026	2/2004	Peterson	385 16
	<b>Z</b> 3	US 6,696,355	2/2004	Dennison	257 4
7	A4	US 6,687,153	2/2004	Lowery	¥38 597
RA	B4	US 6,707,712	3/2004	Lowery	365 175
44	C4	US 6,714,954	3/2004	Ovshinsky et al.	708 200

		FOREIG	GN PATENT	DOCUMENTS		
Examiner Initials*	Cite No.1	Foreign Patent Document  Country Code <sup>3</sup> -Number <sup>4</sup> -Kind Code <sup>5</sup> (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T <sup>0</sup>

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at <a href="https://www.uspto.gov">www.uspto.gov</a> or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

		NON PATENT LITERATURE DOCUMENTS	
Examiner initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
			<u> </u>

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>&#</sup>x27;Applicant's unique citation designation number (optional). <sup>2</sup>Applicant is to place a check mark here if English language Translation is attached.

(01)	Sub	estitute for form 1449A/PTO			4	Complete if Known
JUN 0 3 TOOK	41	\			Application Number	10/076,486
_ JUN 03	no, C	FORMATION TATEMENT	1 DI	SCLOSURE	Filing Date	February 19, 2002
124	100	TATEMENT	BY /	APPLICANT	First Named Inventor	Stephen L. Casper
Tr.	المرتبع المرتبع	(use as many she	eets as	necessarv)	Art Unit	2818
MADEMA		,			Examiner Name	Not Known
·	Sheet	1	of	8	· Attorney Docket Number	M4065.0479/P479

Examiner	Cite		Publication Date	Name of Patentee or Applicant of Cited Document		Pages, Columns, Lines, Where Relevant Passages or Relevant	
Initials*	No.	Number-Kind Code <sup>2</sup> (d known)		Of Once December	clas	Sulaclas Figures Appear	
EX T	AA	6,388,324	05/14/2002	Kozicki et al.	257	750	
M	AB	US 2002/0000666	01/03/2002	Kozicki et al.	A		
	AC	5,500,532	03/19/1996	Kozicki et al.	250	372	
	AD	6,418,049	07/09/2002	Kozicki et al.	365	174	
	AE	5,751,012	05/12/1998	Wolstenholme et al.	257	5	
	AF	5,789,277	08/04/1998	Zahorik et al.	438	130	
W/A	AG	6,348,365	02/19/2202	Moore et al.	438	130	
			I				
					<del>-</del>		

	· · · · · · · · · · · · · · · · · · ·	FORE	GN PATENT	DOCUMENTS		
Examiner	Cite	Foreign Patent Document	Publication Date	Name of Patentee or	Pages, Columns, Lines, Where Relevant	
Initials*	No.1	Country Code <sup>3</sup> -Number <sup>4</sup> -Kind Code <sup>5</sup> (If known)	MM-DD-YYYY	Applicant of Cited Document	Passages or Relevant Figures Appear	To
MI	BA	WO 02/21542	03/14/2002	Kozicki et al.		
	BB	WO 00/48196	08/17/2000	Kozicki et al.		
	BC	WO 97/48032	12/18/1997	Kozicki et al.		
प्पर	BD -	WO 99/28914	06/10/1999	Kozicki et al.		

Examiner M. TRAW	Date 6 30 of	
------------------	--------------	--

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in-conformance with MPEP 609. Draw line through citation if not in conformance and not

Applicant's unique citation designation number (optional). <sup>2</sup> See attached Kinds Codes of USPTO Patent Documents at <a href="www.uspto.gov">www.uspto.gov</a> or MPEP 901.04. <sup>3</sup> Enter Office that Issued the document, by the two-letter code (WIPO Standard ST.3). <sup>4</sup> For Japanese patent documents, the Indication of the year of the reign of the Emperor must-precede the application number of the patent document. <sup>5</sup> Kind of document by the appropriate symbols as Indicated on the document under WIPO Standard ST. 16 if possible. <sup>6</sup> Applicant is to place a check mark here if English language Translation is attached.

PTO/SB/08B (10-01)

Approved for use through 10/31/2002.OMB 0651-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE and to a collection of information unless it contains a walld ONE control number. Under the Paperwork Reduction Act of 1995, no persons are required to res

Substitute for form 1449B/PTO

Sheet

## INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

2 8 of

porto to a conección or intorn	nation unless it contains a valid UMB control number
	C mplete if Kn wn
Application Number	10/076,486
Filing Date	F bruary 19, 2002
First Named Inventor	Stephen L. Casper
Group Art Unit	2818
Examiner Name	Not Known
Attomey Docket Number	M4065.0479/P479

		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS			
Examiner nitials	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc), date, page(s), volume-lssue number(s), publisher, city and/or country where published.	Tº		
H( CA CB		A Abdel-All, A.; Elshafie,A.; Elhawary, M.M., DC electric-field effect in bulk and thin-film Ge5As38Te57 chalcogenide glass, Vacuum 59 (2000) 845-853.			
1	СВ	Adler, D.; Moss, S.C., Amorphous memories and bistable switches, J. Vac. Sci. Technol. 9 (1972) 1182-1189.			
	СС	Adler, D.; Henisch, H.K.; Mott, S.N., The mechanism of threshold switching in amorphous alloys, Rev. Mod. Phys. 50 (1978) 209-220.	T		
	CD	Afifi, M.A.; Labib, H.H.; El-Fazary, M.H.; Fadel, M., Electrical and thermal properties of chalcogenide glass system Se75Ge25-xSbx, Appl. Phys. A 55 (1992) 167-169.			
MY	CE	Afifi,M.A.; Labib, H.H.; Fouad, S.S.; El-Shazly, A.A., Electrical & thermal conductivity of the amorphous semiconductor GexSe1-x, Egypt, J. Phys. 17 (1986) 335-342.			
1	CF	Alekperova, Sh.M.; Gadzhieva, G.S., Current-Voltage characteristics of Ag2Se single crystal near the phase transition, Inorganic Materials 23 (1987) 137-139.			
	CG	Aleksiejunas, A.; Cesnys, A., Switching phenomenon and memory effect in thin-film heterojunction of polycrystalline selenium-silver selenide, Phys. Stat. Sol. (a) 19 (1973) K169-K171.			
	СН	Angell, C.A., Mobile ions in amorphous solids, Annu. Rev. Phys. Chem. 43 (1992) 693-717.			
	CI	Aniya, M., Average electronegativity, medium-range-order, and ionic conductivity in superionic glasses, Solid state Ionics 136-137 (2000) 1085-1089.			
B45	CJ	Asahara, Y.; Izumitani, T., Voltage controlled switching in Cu-As-Se compositions, J. Non-Cryst. Solids 11 (1972) 97-104.			
1	CK	Asokan, S.; Prasad, M.V.N.; Parthasarathy, G.; Gopal, E.S.R., Mechanical and chemical thresholds in IV-VI chalcogenide glasses, Phys. Rev. Lett. 62 (1989) 808-810			
	CL	Baranovskii, S.D.; Cordes, H., On the conduction mechanism in ionic glasses, J. Chem. Phys. 111 (1999) 7546-7557.			
	CM	Belin, R.; Taillades, G.; Pradel, A.; Ribes, M., Ion dynamics in superionic chalcogenide glasses: complete conductivity spectra, Solid state Ionics 136-137 (2000) 1025-1029.			
41	CN	Belin, R.; Zerouale, A.; Pradel, A.; Ribes, M., Ion dynamics in the argyrodite compound Ag7GeSe5I: non-Arrhenius behavior and complete conductivity spectra, Solid State Ionics 143 (2001) 445-455.			
1	СО	Benmore, C.J.; Salmon, P.S., Structure of fast ion conducting and semiconducting glassy chalcogenide alloys, Phys. Rev. Lett. 73 (1994) 264-267.	T		
	CP	Bernede, J.C., Influence du metal des electrodes sur les caracteristiques courant-tension des structures M-Ag2Se-M, Thin solid films 70 (1980) L1-L4.			
MY	CQ	Bernede, J.C., Polarized memory switching in MIS thin films, Thin Solid Films 81 (1981) 155-160.			
1	CR	Bernede, J.C., Switching and silver movements in Ag2Se thin films, Phys. Stat. Sol. (a) 57 (1980) K101-K104.			
	CS	Bernede, J.C.; Abachi, T., Differential negative resistance in metal/insulator/metal structures with an upper bilayer electrode, Thin solid films 131 (1985) L61-L64.			
	СТ	Bernede, J.C.; Conan, A.; Fousenan't, E.; El Bouchairi, B.; Goureaux, G., Polarized memory switching effects in Ag2Se/Se/M thin film sandwiches, Thin solid films 97 (1982) 165-171.			
	CU	Bernede, J.C.; Khelil, A.; Kettaf, M.; Conan, A., Transition from S- to N-type differential negative resistance in Al-Al2O3-Ag2-xSe1+x thin film structures, Phys. Stat. Sol. (a) 74 (1982) 217-224.			
1	CV	Bondarev, V.N.; Pikhitsa, P.V., A dendrite model of current instability in RbAg4I5, Solid State lonics 70/71 (1994) 72-76.			
ANA	CW	B Ichand, P., The maximum in glass transition temperature (Tg) near x=1/3 in GexSe1-x	T		

Complete If Known Substitute for form 1449B/PTO 10/076,486 **Application Number** INFORMATION DISCLOSURE February 19, 2002 Filing Date STATEMENT BY APPLICANT Stephen L. Casper First Named Inventor 2818 Group Art Unit (use as many sheets as necessary) **Not Known Examiner Name** 8 M4065.0479/P479 3 of Attorney Docket Number

		Glasson Asian Journal of Physics (2000) 0, 700 72	<b>=</b>
	<u> </u>	Glasses, Asian Journal of Physics (2000) 9, 709-72.	
MF	CX	Boolchand, P.; Bresser, W.J., Mobile silver ions and glass formation in solid electrolytes, Nature 410 (2001) 1070-1073.	
	CY	Boolchand, P.; Georgiev, D.G.; Goodman, B., Discovery of the Intermediate Phase in Chalcogenide Glasses, J. Optoelectronics and Advanced Materials, 3 (2001), 703	
	CZ	Boolchand, P.; Selvanathan, D.; Wang, Y.; Georgiev, D.G.; Bresser, W.J., Onset of rigidity in	_
1 1		steps in chalcogenide glasses, Properties and Applications of Amorphous Materials, M.F.	
1		Thorpe and Tichy, L. (eds.) Kluwer Academic Publishers, the Netherlands, 2001, pp. 97-132.	
1/	CA1	Boolchand, P.; Enzweiler, R.N.; Tenhover, M., Structural ordering of evaporated amorphous	
ME		chalcogenide alloy films: role of thermal annealing, Diffusion and Defect Data Vol. 53-54	
		(1987) 415-420.	
	CB1	Boolchand, P.; Grothaus, J.; Bresser, W.J.; Suranyi, P., Structural origin of broken chemical	
		order in a GeSe2 glass, Phys. Rev. B 25 (1982) 2975-2978.	
	CC1	Boolchand, P.; Grothaus, J.; Phillips, J.C., Broken chemical order and phase separation in	
		GexSe1-x glasses, Solid state comm. 45 (1983) 183-185.	_
	CD1	Boolchand, P., Bresser, W.J., Compositional trends in glass transition temperature (Tg),	
MF		network connectivity and nanoscale chemical phase separation in chalcogenides, Dept. of	
n	OE4	ECECS, Univ. Cincinnati (October 28, 1999) 45221-0030.	-
1	CE1	Boolchand, P.; Grothaus, J. Molecular Structure of Melt-Quenched GeSe2 and GeS2 glasses	
$\rightarrow$	CE4	compared, Proc. Int. Conf. Phys. Semicond. (Eds. Chadi and Harrison) 17 <sup>th</sup> (1985) 833-36.  Bresser, W.; Boolchand, P.; Suranyi, P., Rigidity percolation and molecular clustering in	_
	CF1	network glasses, Phys. Rev. Lett. 56 (1986) 2493-2496.	
	CG1.	Bresser, W.J.; Boolchand, P.; Suranyi, P.; de Neufville, J.P, Intrinsically broken chalcogen	
	CG1.	chemical order in stoichiometric glasses, Journal de Physique 42 (1981) C4-193-C4-196.	
	CH1	Bresser, W.J.; Boolchand, P.; Suranyi, P.; Hernandez, J.G., Molecular phase separation and	_
Mi	CITT	cluster size in GeSe2 glass, Hyperfine Interactions 27 (1986) 389-392.	
-	CI1	Cahen, D.; Gilet, JM.; Schmitz, C.; Chernyak, L.; Gartsman, K.; Jakubowicz, A., Room-	_
	•••	Temperature, electric field induced creation of stable devices in CulnSe2 Crystals, Science	
$\cdot$		258 (1992) 271-274.	
	CJ1	Chatterjee, R.; Asokan, S.; Titus, S.S.K., Current-controlled negative-resistance behavior and	
		memory switching in bulk As-Te-Se glasses, J. Phys. D: Appl. Phys. 27 (1994) 2624-2627.	_
	CK1	Chen, C.H.; Tai, K.L., Whisker growth induced by Ag photodoping in glassy GexSe1-x films,	
1 ]		Appl. Phys. Lett. 37 (1980) 1075-1077.	
MG	CL1	Chen, G.; Cheng, J., Role of nitrogen in the crystallization of silicon nitride-doped	
m.A		chalcogenide glasses, J. Am. Ceram. Soc. 82 (1999) 2934-2936.	
	CM1	Chen, G.; Cheng, J.; Chen, W., Effect of Si3N4 on chemical durability of chalcogenide glass,	
		J. Non-Cryst. Solids 220 (1997) 249-253.	_
	CN1	Cohen, M.H.; Neale, R.G.; Paskin, A., A model for an amorphous semiconductor memory	ĺ
		device, J. Non-Cryst. Solids 8-10 (1972) 885-891.	
	CO1	Croitoru, N.; Lazarescu, M.; Popescu, C.; Telnic, M.; and Vescan, L., Ohmic and non-ohmic	
	004	conduction in some amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 781-786.	-
اراح	CP1	Dalven, R.; Gill, R., Electrical properties of beta-Ag2Te and beta-Ag2Se from 4.2 to 300K, J.	
77	664	Appl. Phys. 38 (1967) 753-756.	
<del></del> -	CQ1	Davis, E.A., Semiconductors without form, Search 1 (1970) 152-155.	-
1	CR1	Dearnaley, G.; Stoneham, A.M.; Morgan, D.V., Electrical phenomena in amorphous oxide	
	CC1	films, Rep. Prog. Phys. 33 (1970) 1129-1191.  Dejus, R.J.; Susman, S.; Volin, K.J.; Montague, D.G.; Price, D.L., Structure of Vitreous Ag-Ge-	H
	CS1	Se, J. Non-Cryst. Solids 143 (1992) 162-180.	
<del></del>	CT1	den Boer, W., Threshold switching in hydrogenated amorphous silicon, Appl. Phys. Lett. 40	$\vdash$
.	<b>011</b>	(1982) 812-813.	
	CU1	Drusedau, T.P.; Panckow, A.N.; Klabund , F., The hydrog nated am rphous	H

INFORMATION DISCLOSURE	
IN CINIALION DIOCECCONE	
STATEMENT BY APPLICANT	

Substitute for form 1449B/PTO

Complete If Known 10/076,486 Application Number February 19, 2002 Filing Date Stephen L. Casper First Named Inventor

	$I \cap I$	-1416-141 1-				
					Group Art Unit	2818
	(u	ise as many sheet	s as nece	ssary)	Examiner Name	Not Known
Sheet		4	of	8	Attorney Docket Number	M4065.0479/P479
silicon/nanodisperse metal (SIMAL) s Cryst. Solids 198-200 (1996) 829-832 CV1 El Bouchairi, B.; Bernede, J.C.; Burga					•	
Films 110 (1983) 107-113.  CW1 El Gharras, Z.; Bourahla, A.; Vautier, x photoconductivity, J. Non-Cryst. So				hla, A.; Vautier, (		
	CX1	El Ghrandi, R	.; Calas	, J.; Galibert, G.;		otodissolution in amorphous

ME	CV1	El Bouchairi, B.; Bernede, J.C.; Burgaud, P., Properties of Ag2-xSe1+x/n-Si diodes, Thin Solid
W (		Films 110 (1983) 107-113.
1	CW1	El Gharras, Z.; Bourahla, A.; Vautier, C., Role of photoinduced defects in amorphous GexSe1-x photoconductivity, J. Non-Cryst. Solids 155 (1993) 171-179.
	CV4	
	CX1	El Ghrandi, R.; Calas, J.; Galibert, G.; Averous, M., Silver photodissolution in amorphous chalcogenide thin films, Thin Solid Films 218 (1992)259-273.
+-	CY1	El Ghrandi, R.; Calas, J.; Galibert, G., Ag dissolution kinetics in amorphous GeSe5.5 thin films
		from "in-situ" resistance measurements vs time, Phys. Stat. Sol. (a) 123 (1991) 451-460.
M	CZ1	El-kady, Y.L., The threshold switching in semiconducting glass Ge21Se17Te62, Indian J.
		Phys. 70A (1996) 507-516.
	CA2	Elliott, S.R., A unified mechanism for metal photodissolution in amorphous chalcogenide materials, J. Non-Cryst. Solids 130 (1991) 85-97.
<del></del>	CB2	Elliott, S.R., Photodissolution of metals in chalcogenide glasses: A unified mechanism, J.
	CBZ	Non-Cryst. Solids 137-138 (1991) 1031-1034.
	CC2	Elsamanoudy, M.M.; Hegab, N.A.; Fadel, M., Conduction mechanism in the pre-switching
MI		state of thin films containing Te As Ge Si, Vacuum 46 (1995) 701-707.
•	CD2	El-Zahed, H.; El-Korashy, A., Influence of composition on the electrical and optical properties
	002	of Ge20BixSe80-x films, Thin Solid Films 376 (2000) 236-240.
	CE2	Fadel, M., Switching phenomenon in evaporated Se-Ge-As thin films of amorphous
1		chalcogenide glass, Vacuum 44 (1993) 851-855.
	CF2	Fadel, M.; El-Shair, H.T., Electrical, thermal and optical properties of Se75Ge7Sb18, Vacuum
	• •	43 (1992) 253-257.
	CG2	
41		glasses, Phys. Rev. Lett. 78 (1997) 4422-4425.
Ð	CH2	Feng, X.; Bresser, W.J.; Zhang, M.; Goodman, B.; Boolchand, P., Role of network connectivity
		on the elastic, plastic and thermal behavior of covalent glasses, J. Non-Cryst. Solids 222
		(1997) 137-143.
<del></del>	CI2	Fischer-Colbrie, A.; Bienenstock, A.; Fuoss, P.H.; Marcus, M.A., Structure and bonding in
	0,2	photodiffused amorphous Ag-GeSe2 thin films, Phys. Rev. B 38 (1988) 12388-12403.
	CJ2	Fleury, G.; Hamou, A.; Viger, C.; Vautier, C., Conductivity and crystallization of amorphous
		selenium, Phys. Stat. Sol. (a) 64 (1981) 311-316.
	CK2	Fritzsche, H, Optical and electrical energy gaps in amorphous semiconductors, J. Non-Cryst.
MS	• •	Solids 6 (1971) 49-71.
	CL2	Fritzsche, H., Electronic phenomena in amorphous semiconductors, Annual Review of
ł		Materials Science 2 (1972) 697-744.
	CM2	Gates, B.; Wu, Y.; Yin, Y.; Yang, P.; Xia, Y., Single-crystalline nanowires of Ag2Se can be
		synthesized by templating against nanowires of trigonal Se, J. Am. Chem. Soc. (2001)
	1	currently ASAP.
<del></del>	CN2	Gosain, D.P.; Nakamura, M.; Shimizu, T.; Suzuki, M.; Okano, S., Nonvolatile memory based
	••••	on reversible phase transition phenomena in telluride glasses, Jap. J. Appl. Phys. 28 (1989)
		1013-1018.
	CO2	Guin, JP.; Rouxel, T.; Keryvin, V.; Sangleboeuf, JC.; Serre, I.; Lucas, J., Indentation creep
	1	of Ge-Se chalcogenide glasses below Tg: elastic recovery and non-Newtonian flow, J. Non-
alt		Cryst. Solids 298 (2002) 260-269.
	CP2	Guin, JP.; Rouxel, T.; Sangleboeuf, JC; Melscoet, I.; Lucas, J., Hardness, toughness, and
1		scratchability of germanium-selenium chalcogenide glasses, J. Am. Ceram. Soc. 85 (2002)
1	1.	1545-52.
	y	' = ' = ' = ' = '
1/2	CQ2	Gupta, Y.P., On electrical switching and memory eff cts in am rphous chalcogenid s, J. Non-

Complete If Known Substitute for form 1449B/PTO 10/076,486 Application Number NFORMATION DISCLOSURE STATEMENT BY APPLICANT F bruary 19, 2002 Filing Date Stephen L. Casper First Named Inventor 2818 Group Art Unit (use as many sheets as necessary) Not Known **Examiner Name** M4065.0479/P479 8 5 Attorney Docket Number of

MF	CR2	Haberland, D.R.; Stiegler, H., New experiments on the charge-controlled switching effect in amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 408-414.
C'	CS2	Haifz, M.M.; Ibrahim, M.M.; Dongol, M.; Hammad, F.H., Effect of composition on the structure and electrical properties of As-Se-Cu glasses, J. Apply. Phys. 54 (1983) 1950-1954.
	CT2	Hajto, J.; Rose, M.J.; Osborne, I.S.; Snell, A.J.; Le Comber, P.G.; Owen, A.E., Quantization effects in metal/a-Si:H/metal devices, Int. J. Electronics 73 (1992) 911-913.
MT	CU2	Hajto, J.; Hu, J.; Snell, A.J.; Turvey, K.; Rose, M., DC and AC measurements on metal/a-Si:H/metal room temperature quantised resistance devices, J. Non-Cryst. Solids 266-269 (2000) 1058-1061.
ļ	CV2	Hajto, J.; McAuley, B.; Snell, A.J.; Owen, A.E., Theory of room temperature quantized resistance effects in metal-a-Si:H-metal thin film structures, J. Non-Cryst. Solids 198-200 (1996) 825-828.
	CW2	Hajto, J.; Owen, A.E.; Snell, A.J.; Le Comber, P.G.; Rose, M.J., Analogue memory and ballistic electron effects in metal-amorphous silicon structures, Phil. Mag. B 63 (1991) 349-369.
ME	CX2	Hayashi, T.; Ono, Y.; Fukaya, M.; Kan, H., Polarized memory switching in amorphous Se film, Japan. J. Appl. Phys. 13 (1974) 1163-1164.
	CY2	Hegab, N.A.; Fadel, M.; Sedeek, K., Memory switching phenomena in thin films of chalcogenide semiconductors, Vacuum 45 (1994) 459-462.
	CZ2	Hirose, Y.; Hirose, H., Polarity-dependent memory switching and behavior of Ag dendrite in Ag-photodoped amorphous As2S3 films, J. Appl. Phys. 47 (1976) 2767-2772.
M	CA3	Hong, K.S.; Speyer, R.F., Switching behavior in II-IV-V2 amorphous semiconductor systems, J. Non-Cryst. Solids 116 (1990) 191-200.
	CB3	Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214.
	CC3	Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-/Si:H/V thin film devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191.
	CD3	Hu, J.; Hajto, J.; Snell, A.J.; Owen, A.E.; Rose, M.J., Capacitance anomaly near the metal-non-metal transition in Cr-hydrogenated amorphous Si-V thin-film devices, Phil. Mag. B. 74 (1996) 37-50.
MY	CE3	Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-induced instability in Cr-p+a-Si:H-V thin film devices, Phil. Mag. B 80 (2000) 29-43.
N. C.	CF3	lizima, S.; Sugl, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155.
	CG3	Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066.
	СНЗ	lyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142.
M	CI3	Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed blas, Thin Solid Films 40 (1977) L15-L18.
1	CJ3	Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109.
	СКЗ	Joullie, A.M.; Marucchi, J., Electrical properties of the amorphous alloy As2Se5, Mat. Res. Bull. 8 (1973) 433-442.
	CL3	Kaplan, T.; Adler, D., Electrothermal switching in amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 538-543.
	СМЗ	Kawaguchi, T.; Maruno, S.; Elliott, S.R., Optical, electrical, and structural properties of amorphous Ag-Ge-S and Ag-Ge-Se films and comparison of photoinduced and thermally induced phenomena of both systems, J. Appl. Phys. 79 (1996) 9096-9104.
an	CN3	Kawaguchi, T.; Masui, K., Analysis f change in optical transmission spectra resulting from Ag ph tod ping in chalcogenide film, Japn. J. Appl. Phys. 26 (1987) 15-21.

Substi	tute for form 1449B/F	PTO '		Complete if Known			
				Application Number	10/076,486		
INF	ORMATIC	ID NC	SCLOSURE	Filling Date	February 19, 2002		
ST.	ATEMEN1	BY A	SCLOSURE APPLICANT	First Named Inventor	Stephen L. Casper		
				Group Art Unit	2818		
	(use as many	sheets as	necessary)	Examiner Name	Not Known		
heet	6	of	8	Attorney Docket Number	M4065.0479/P479		

L	icei	<u> </u>		<u> </u>		Attorney Council Turnes.	1014003.0473/F473				
	u 1	CO3	•	•	wamura, J.; Nakamura asses, Solid state Ionic		conductivity of Agx(GeSe3)1-x				
	,	CP3	<del></del>	odiffusion in amorphous							
		CQ3	Kolobov, A.V., On the origin of p-type conductivity in amorphous chalcogenides, J. Non-Cryst. Solids 198-200 (1996) 728-731.								
L	1	CR3	137-138 (19	91) 1	027-1030.		de films, J. Non-Cryst. Solids				
	M		Non-Cryst.	Solids	194 (1996) 256-259.		ation and the type of contacts, J.				
L		СТЗ	amorphous	GeSe	TI chalcogenide semic	onductor films, Thin S	c, M.M., Memory switching in solid Films 240 (1994) 143-146.				
		CU3					r, A., Amorphous semiconductor ics & Telecom. Engrs 27 (1981)				
		CV3	chalcogenid	le glas	sses, Indian Journal of	pure & appl. phys. 29					
	M		with blocking (1975) K129	g Al c 3-K13	ontacts influenced by F 2.	Poole-Frenkel conduct	isation of amorphous GeSe films tion, Phys. Stat. Sol. (a) 29				
	Λ	СХЗ	Appl. Phys.	Lett.	46 (1985) 543-545.	•	sion of Ag in GexSe1-x glass,				
		CY3	system, Jap	. J. A	ppi. Phys. 11 (1972) 16	57-1662.	effect observed on Se-SnO2				
		CZ3	•		amagami, T.; Okuda, M s, Jpn. J. Appl. Phys. 1		effect observed on amorphous				
		CA4	Mazurier, F.	; Lev		versible and irreversib	ole electrical switching in TeO2- 5 - C2-188.				
	r/K	CB4		-	emede, J.C.; Benhida, M=Ni,Bi), Mat. Chem. /		A., Electrical characterization of 253-258.				
	$\overline{I}$	CC4		•	chand, P., Microscopic eory, J. Non-Cryst. Soli		ming tendency in chalcogenides	:			
		CD4			cki, M.N., Silver incorpo devices, J. Non-Cryst.		ses used in programmable ) 1023-1027.				
		CE4			g, Y.; Boolchand, P., D ev. Lett. 83 (1999) 384		g as an additive in chalcogenide				
		CF4		-y., E			2Se, J. Phys. Soc. Japan 34				
Т	11/4	CG4			ectrical properties of A	g2Se, J. Phys. Soc. J	apan 13 (1958) 317.				
		CH4		-y., io	nic conduction in beta-		Se, Journal Phys. Soc. Japan 14				
		CI4	Mott, N.F., (1968) 1-17		iction in glasses contai	ning transition metal id	ons, J. Non-Cryst. Solids 1				
		CJ4			tagawa, T.; Ohmura, M cogenide thin films, Jp		atile memory based on phase 1993) 564-569.				
		CK4	Nakayama, nonvolatile i	K.; Ko	ojima, K.; Hayakawa, F	.; Imai, Y.; Kitagawa,	A.; Suzuki, M., Submicron in chalcogenide glasses, Jpn. J.				
	1	CL4			a, M.; Matsushita, T.; YexSe1-x amorph us thin						
	M	CM4	Narayanan,	R.A.;	Asokan, S.; Kumar, A.	, Evid noe concerning	hys. 15 (1976) 849-853.  g th effect of topology on				
		1									

Subetitu	ute for form 1449B/PT(	<u> </u>			Complete If Known
F	10 10 10 10 11 14 10 10 1 1 C			Application Number	10/076,486
MAF	ORMATION	N DISC	CLOSURE	Filing Date	February 19, 2002
Tree Augs	ATEMENT	BY AP	PLICANT	First Named Inventor	Stephen L. Casper
[5]	(12)012101			Group Art Unit	2818
eneet	(use as many sh	ieets as nec	essary)	Examiner Name	Not Known
eneet	7	of	8	Attorney Docket Number	M4065.0479/P479

		electrical switching in chalcogenide network glasses, Phys. Rev. B 54 (1996) 4413-4415.	
Wi	CN4	Neale, R.G.; Aseltine, J.A., The application of amorphous materials to computer memories, IEEE transactions on electron dev. Ed-20 (1973) 195-209.	
	CO4	Ovshinsky S.R.; Fritzsche, H., Reversible structural transformations in amorphous	
l i		semiconductors for memory and logic, Mettalurgical transactions 2 (1971) 641-645.	
	CP4	Ovshinsky, S.R., Reversible electrical switching phenomena in disordered structures, Phys.	
l		Rev. Lett. 21 (1968) 1450-1453.	
<del></del>	CQ4	Owen, A.E.; LeComber, P.G.; Sarrabayrouse, G.; Spear, W.E., New amorphous-silicon	
	1044	electrically programmable nonvolatile switching device, IEE Proc. 129 (1982) 51-54	
	CR4	Owen, A.E.; Firth, A.P.; Ewen, P.J.S., Photo-induced structural and physico-chemical changes	
	CRT	in amorphous chalcogenide semiconductors, Phil. Mag. B 52 (1985) 347-362.	
	CS4	Owen, A.E.; Le Comber, P.G.; Hajto, J.; Rose, M.J.; Snell, A.J., Switching in amorphous	_
1	C34	devices, Int. J. Electronics 73 (1992) 897-906.	
<del></del>	CT4	Pearson, A.D.; Miller, C.E., Filamentary conduction in semiconducting glass diodes, App.	
	CT4	· · · · · · · · · · · · · · · · · · ·	
	10114	Phys. Lett. 14 (1969) 280-282.  Pinto, R.; Ramanathan, K.V., Electric field induced memory switching in thin films of the	
/	CU4	chalcogenide system Ge-As-Se, Appl. Phys. Lett. 19 (1971) 221-223.	
<del></del>	CV4	Popescu, C., The effect of local non-uniformities on thermal switching and high field behavior	
MI	CV4	of structures with chalcogenide glasses, Solid-state electronics 18 (1975) 671-681.	
	C)4/4	Popescu, C.; Croitoru, N., The contribution of the lateral thermal instability to the switching	
1 -1	CW4	phenomenon, J. Non-Cryst. Solids 8-10 (1972) 531-537.	
	01/4	pnenomenon, J. Non-Cryst. Solids 6-10 (1972) 551-557.	
	CX4	Popov, A.I.; Geller, I.KH.; Shemetova, V.K., Memory and threshold switching effects in	
		amorphous selenium, Phys. Stat. Sol. (a) 44 (1977) K71-K73.	
	CY4	Prakash, S.; Asokan, S.; Ghare, D.B., Easily reversible memory switching in Ge-As-Te	
		glasses, J. Phys. D: Appl. Phys. 29 (1996) 2004-2008.	
.//	CZ4	Rahman, S.; Sivarama Sastry, G., Electronic switching in Ge-Bi-Se-Te glasses, Mat. Sci. and	
KI	<u> </u>	Eng. B12 (1992) 219-222.	
1	CA5	Ramesh, K.; Asokan, S.; Sangunni, K.S.; Gopal, E.S.R., Electrical Switching in germanium	
<u> </u>		telluride glasses doped with Cu and Ag, Appl. Phys. A 69 (1999) 421-425.	
	CB5	Rose,M.J.;Hajto,J.;Lecomber,P.G.;Gage,S.M.;Choi,W.K.;Snell,A.J.;Owen,A.E., Amorphous	
		silicon analogue memory devices, J. Non-Cryst. Solids 115 (1989) 168-170.	
"   '	CC5	Rose, M.J.; Snell, A.J.; Lecomber, P.G.; Hajto, J.; Fitzgerald, A.G.; Owen, A.E., Aspects of non-	
	<u></u>	volatility in a -Si:H memory devices, Mat. Res. Soc. Symp. Proc. V 258, 1992, 1075-1080.	
	CD5	Schuocker, D.; Rieder, G., On the reliability of amorphous chalcogenide switching devices, J.	
		Non-Cryst. Solids 29 (1978) 397-407.	_
1 1 2	CE5	Sharma, A.K.; Singh, B., Electrical conductivity measurements of evaporated selenium films in	
		vacuum, Proc. Indian Natn. Sci. Acad. 46, A, (1980) 362-368.	
	CF5	Sharma, P., Structural, electrical and optical properties of silver selenide films, Ind. J. Of pure	
		and applied phys. 35 (1997) 424-427.	
	CG5	Snell, A.J.; Lecomber, P.G.; Hajto, J.; Rose, M.J.; Owen, A.E.; Osborne, I.L., Analogue	
		memory effects in metal/a-Si:H/metal memory devices, J. Non-Cryst. Solids 137-138 (1991)	
		1257-1262.	
	CH5	Snell, A.J.; Hajto, J.;Rose, M.J.; Osborne, L.S.; Holmes, A.; Owen, A.E.; Gibson, R.A.G.,	
	4	Analogue memory effects in metal/a-Si:H/metal thin film structures, Mat. Res. Soc. Symp.	
M	$\cdot$	Proc. V 297, 1993, 1017-1021.	
	CI5	Steventon, A.G., Microfilaments in amorphous chalcogenide memory devices, J. Phys. D:	
1 1		Appl. Phys. 8 (1975) L120-L122.	
	CJ5	Steventon, A.G., The switching mechanisms in amorphous chalcogenide memory devices, J.	
		Non-Cryst. Solids 21 (1976) 319-329.	
( )	CK5	Stocker, H.J., Bulk and thin film switching and memory effects in semiconducting chalcogenide	
Mi		glasses, App. Phys. Lett. 15 (1969) 55-57.	
	<del></del>		

	Subeti	ute for form 1449B	/PTO			Complete If Known	
1	SUUBLI				Application Number	10/076,486	
4	INF	ORMATI	ON DISC	LOSURE	Filing Date	February 19, 2002	
7	ST	ATEMEN	T BY AP	PLICANT	First Named Inventor	Stephen L. Casper	
<b>14</b> S		,			Group Art Unit	2818	
Sh		(use as man	y sheets as nece	essary)	Examiner Name	Not Known	
Shi	eet	8	of	8	Attorney Docket Number	M4065.0479/P479	

MI	CL5	Tanaka, K., Ionic and mixed conductions in Ag photodoping process, Mod. Phys. Lett B 4 (1990) 1373-1377.
	CM5	Tanaka, K.; lizima, S.; Sugi, M.; Okada, Y.; Kikuchi, M., Thermal effects on switching phenomenon in chalcogenide amorphous semiconductors, Solid State Comm. 8 (1970) 387-389.
	CN5	Thomburg, D.D., Memory switching in a Type I amorphous chalcogenide, J. Elect. Mat. 2 (1973) 3-15.
MT	CO5	Thomburg, D.D., Memory switching in amorphous arsenic triselenide, J. Non-Cryst. Solids 11 (1972) 113-120.
	CP5	Thomburg, D.D.; White, R.M., Electric field enhanced phase separation and memory switching in amorphous arsenic triselenide, Journal(??) (1972) 4609-4612.
·	CQ5	Tichy, L.; Ticha, H., Remark on the glass-forming ability in GexSe1-x and AsxSe1-x systems, J. Non-Cryst. Solids 261 (2000) 277-281.
	CR5	Titus, S.S.K.; Chatterjee, R.; Asokan, S., Electrical switching and short-range order in As-Te glasses, Phys. Rev. B 48 (1993) 14650-14652.
W	CS5	Tranchant, S.; Peytavin, S.; Ribes, M.; Flank, A.M.; Dexpert, H.; Lagarde, J.P., Silver chalcogenide glasses Ag-Ge-Se: Ionic conduction and exafs structural investigation, Transport-structure relations in fast ion and mixed conductors Proceedings of the 6th Riso International symposium. 9-13 September 1985.
	СТ5	Tregouet, Y.; Bernede, J.C., Silver movements in Ag2Te thin films: switching and memory effects, Thin Solid Films 57 (1979) 49-54.
	CU5	Uemura, O.; Kameda, Y.; Kokai, S.; Satow, T., Thermally induced crystallization of amorphous Ge0.4Se0.6, J. Non-Cryst. Solids 117-118 (1990) 219-221.
	CV5	Uttecht, R.; Stevenson, H.; Sie, C.H.; Griener, J.D.; Raghavan, K.S., Electric field induced filament formation in As-Te-Ge glass, J. Non-Cryst. Solids 2 (1970) 358-370.
NE	CD5	Viger, C.; Lefrancois, G.; Fleury, G., Anomalous behaviour of amorphous selenium films, J. Non-Cryst, Solids 33 (1976) 267-272.
1	CX5	Vodenicharov, C.; Parvanov,S.; Petkov,P., Electrode-limited currents in the thin-film M-GeSe-M system, Mat. Chem. And Phys. 21 (1989) 447-454.
	CY5	Wang, SJ.; Misium, G.R.; Camp, J.C.; Chen, KL.; Tigelaar, H.L., High-performance Metal/silicide antifuse, IEEE electron dev. Lett. 13 (1992)471-472.
	CZ5	Weirauch, D.F., Threshold switching and thermal filaments in amorphous semiconductors, App. Phys. Lett. 16 (1970) 72-73.
M	CA6	West, W.C.; Sieradzki, K.; Kardynal, B.; Kozicki, M.N., Equivalent circuit modeling of the Ag As0.24S0.36Ag0.40 Ag System prepared by photodissolution of Ag, J. Electrochem. Soc. 145 (1998) 2971-2974
1	СВ6	West, W.C., Electrically erasable non-volatile memory via electrochemical deposition of multifractal aggregates, Ph.D. Dissertation, ASU 1998
O.F	CC6	Zhang, M.; Mancini, S.; Bresser, W.; Boolchand, P., Variation of glass transition temperature, Tg, with average coordination number, <m>, in network glasses: evidence of a threshold behavior in the slope  dTg/d<m>  at the rigidity percolation threshold (<m>=2.4), J. Non-Cryst. Solids 151 (1992) 149-154.</m></m></m>

Evaminas		Date	6 00	102
Examiner Signature	M. TRAN	Considered	6 29	107
				7

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>&#</sup>x27;Applicant's unique citation designation number (optional). 'Applicant is to place a check mark here if English language Translation is attached.